

UNCLASSIFIED



## **CISCO IOS ROUTER STIG REVISION HISTORY**

24 July 2024

**Developed by DISA for the DOD**

UNCLASSIFIED

REVISION HISTORY		
Document Revised	Description of Change	Release Date
- Cisco IOS Router NDM STIG, V2R8  - Cisco IOS Router RTR STIG, V2R7	<b>Cisco IOS Router NDM STIG, V3R1:</b> - CISC-ND-000140, CISC-ND-000550, CISC-ND-000570, CISC-ND-000580, CISC-ND-000590, CISC-ND-000600, CISC-ND-000610, CISC-ND-000620, CISC-ND-001000, CISC-ND-001030, CISC-ND-001440 - Updated based on NIST SP 800-53 Rev. 5 changes. - CASA-IP-000050 - Updated for style guide compliance.  <b>Cisco IOS Router RTR STIG, V3R1:</b> - CISC-RT-000120, CISC-RT-000400, CISC-RT-000580, CISC-RT-000590, CISC-RT-000630, CISC-RT-000640, CISC-RT-000650, CISC-RT-000670, CISC-RT-000950 - Updated based on NIST SP 800-53 Rev. 5 changes.  - Because this is a major revision, version numbers were incremented to the next whole number. - Rule numbers updated throughout due to changes in content management system.	24 July 2024
- Cisco IOS Router NDM STIG, V2R7  - Cisco IOS Router RTR STIG, V2R6	<b>Cisco IOS Router NDM STIG, V2R8:</b> - CISC-ND-001370 - Corrected syntax for line con 0.  <b>Cisco IOS Router RTR STIG, V2R7:</b> - No change within STIG or to release number, but revised file name to align with naming convention.	24 January 2024
- Cisco IOS Router NDM STIG, V2R6  - Cisco IOS Router RTR STIG, V2R5	<b>Cisco IOS Router NDM STIG, V2R7:</b> - CISC-ND-000290 - Updated the check to reference interface ACLs. - CISC-ND-000720 - Rule number updated due to changes in content management system.  <b>Cisco IOS Router RTR STIG, V2R6:</b> - CISC-RT-000020, CISC-RT-000030, CISC-RT-000040 - Merged into CISC-RT-000050. - CISC-RT-000050 - Updated requirement to reflect OSPF and BGP keychains. - CISC-RT-000120 - Updated severity to CAT I and rewrote to merge CISC-RT-000130 and CISC-RT-000140.	25 October 2023

REVISION HISTORY		
Document Revised	Description of Change	Release Date
	<ul style="list-style-type: none"> <li>- CISC-RT-000130, CISC-RT-000140 - Merged into CISC-RT-000120.</li> <li>- Revision History format for multipart STIGs revised to ensure clarity in the versioning.</li> </ul>	

REVISION HISTORY			
Revision Number	Document Revised	Description of Change	Release Date
V2R9	- Cisco IOS Router STIG, V2R8	<p><b>Cisco IOS Router NDM STIG, V2R6:</b></p> <ul style="list-style-type: none"> <li>- No change in this quarter.</li> </ul> <p><b>Cisco IOS Router RTR STIG, V2R5:</b></p> <ul style="list-style-type: none"> <li>- CISC-RT-000510, CISC-RT-000520 - Updated requirement for NA on specific JRSS systems.</li> <li>- CISC-RT-000760, CISC-RT-000770 - Removed reference to QOS DODIN Technical Profile.</li> </ul>	26 July 2023
V2R8	- Cisco IOS Router STIG, V2R7	<p><b>Cisco IOS Router NDM STIG, V2R6:</b></p> <ul style="list-style-type: none"> <li>- CISC-ND-000720 - Changed idle timeout to five minutes.</li> <li>- CISC-ND-001370 - Changed requirement to utilize redundant authentication servers. Updated CCI.</li> <li>- CISC-ND-001450 - Changed requirement to utilize redundant syslog servers.</li> </ul> <p><b>Cisco IOS Router RTR STIG, V2R4:</b></p> <ul style="list-style-type: none"> <li>- No change in this quarter.</li> </ul>	07 June 2023
V2R7	- Cisco IOS Router STIG, V2R6	<p><b>Cisco IOS Router NDM STIG, V2R5:</b></p> <ul style="list-style-type: none"> <li>- CISC-ND-000470 - Updated check and fix to add call home feature.</li> <li>- CISC-ND-000470 - Updated check text for "service pad".</li> <li>- CISC-ND-001370 - Updated check and fix to allow LOCAL access to CONSOLE.</li> <li>- Some Rule Keys were updated due to changes in content management system.</li> </ul> <p><b>Cisco IOS Router RTR STIG, V2R4:</b></p>	27 April 2023

REVISION HISTORY			
Revision Number	Document Revised	Description of Change	Release Date
		<ul style="list-style-type: none"> <li>- CISC-RT-000040 - Updated check and fix for OSPFv2.</li> <li>- CISC-RT-000080 - Removed requirement and addressed in the NDM STIG.</li> <li>- CISC-RT-000235 - Added back in missing finding statement.</li> <li>- Some Rule Keys were updated due to changes in content management system.</li> </ul>	
V2R6	- Cisco IOS Router STIG, V2R5	<b>Cisco IOS Router RTR STIG, V2R3:</b> <ul style="list-style-type: none"> <li>- CISC-RT-000480 - Updated requirement for N/A on specific JRSS systems; mapped requirement to correct CCI.</li> <li>- CISC-RT-000490 - Updated requirement for N/A on specific JRSS systems.</li> <li>- CISC-RT-000020, CISC-RT-000030 - Mapped requirement to correct CCI.</li> </ul>	26 January 2023
V2R5	- Cisco IOS Router STIG, V2R4	<b>Cisco IOS Router RTR STIG, V2R2:</b> <ul style="list-style-type: none"> <li>- CISC-RT-000270 - Corrected typo in check and fix text.</li> <li>- CISC-RT-000070 - Removed requirement; it is duplicated in NDM.</li> </ul>	27 October 2022
V2R4	- Cisco IOS Router STIG, V2R3	<b>Cisco IOS Router NDM STIG, V2R4:</b> <ul style="list-style-type: none"> <li>- CISC-ND-000140, CISC-ND-000720, CISC-ND-001370 - Modified Check and Fix commands to match other requirements.</li> <li>- CISC-ND-000210 - Modified the Rule Title.</li> <li>- CISC-ND-000250, CISC-ND-001290 - Removed requirement; duplicate of CISC-ND-001260.</li> <li>- CISC-ND-000530 - Removed requirement; merged with CISC-ND-001200.</li> <li>- CISC-ND-000940, CISC-ND-001240 - Removed requirement; duplicate of CISC-ND-000210.</li> <li>- CISC-ND-001000 - Updated Check and Fix to remove logging host.</li> <li>- CISC-ND-001030 - Modified CCIs to merge in requirements CISC-ND-001040 and CISC-ND-001050.</li> <li>- CISC-ND-001040, CISC-ND-001050 - Removed requirement; merged with CISC-ND-001030.</li> </ul>	27 July 2022

REVISION HISTORY			
Revision Number	Document Revised	Description of Change	Release Date
		<ul style="list-style-type: none"> <li>- CISC-ND-001200 - Modified CCIs to merge in requirement CISC-ND-000530, removed HTTPS example in Check and Fix, and added note to Check referring to SHA1.</li> <li>- CISC-ND-001210 - Updated Check and Fix to correct encryptions.</li> <li>- CISC-ND-001310 - Merged with requirement CISC-ND-001450.</li> <li>- CISC-ND-001450 - Merged in requirement CISC-ND-001310 and removed logging trap from Check and Fix.</li> </ul>	
V2R3	- Cisco IOS Router STIG, V2R2	<b>Cisco IOS Router NDM STIG, V2R3:</b> <ul style="list-style-type: none"> <li>- CISC-ND-001200 - Updated requirement to replace SHA-1 references with SHA-2.</li> </ul>	27 January 2022
V2R2	- Cisco IOS Router STIG, V2R1	<b>Cisco IOS Router NDM STIG, V2R2:</b> <ul style="list-style-type: none"> <li>- CISC-ND-000010 - Corrected configuration example in check and fix content.</li> <li>- CISC-ND-000490 - Updated vulnerability discussion to allow secure network location for "break glass" passwords.</li> </ul>	23 April 2021
V2R1	- Cisco IOS Router STIG, V1R4	<p>- DISA migrated the Cisco IOS Router STIGs to a new content management system. The new content management system renumbered all Groups (V-numbers) and Rules (SV-numbers). With the new Group and Rule numbers, DISA incremented the version numbers from V1R4 to V2R1.</p> <p><b>Cisco IOS Router NDM STIG, V2R1:</b></p> <ul style="list-style-type: none"> <li>- CISC-ND-000140 - Updated check and fix to include log-input on deny statement.</li> <li>- CISC-ND-001280 - Removed requirement.</li> </ul> <p><b>Cisco IOS Router RTR STIG, V2R1:</b></p> <ul style="list-style-type: none"> <li>- CISC-RT-000020 - Updated vulnerability discussion to clarify the requirement.</li> <li>- CISC-RT-000080 - Updated check to clarify the requirement.</li> <li>- CISC-RT-000235 - Added requirement to enable IPv4 and IPv6 CEF.</li> <li>- CISC-RT-000236 - Added requirement to set hop limit to at least 32 for IPv6 stateless auto-configuration deployments.</li> </ul>	23 October 2020

REVISION HISTORY			
Revision Number	Document Revised	Description of Change	Release Date
		<ul style="list-style-type: none"> <li>- CISC-RT-000237 - Added requirement to prohibit use of IPv6 Site Local addresses.</li> <li>- CISC-RT-000391 - Added requirement to suppress IPv6 Router Advertisements at external interfaces.</li> <li>- CISC-RT-000392 - Added requirement to drop IPv6 undetermined transport packets.</li> <li>- CISC-RT-000393 - Added requirement to drop IPv6 packets with a Routing Header type 0, 1, or 3-255.</li> <li>- CISC-RT-000394 - Added requirement to drop IPv6 packets containing a Hop-by-Hop header with invalid option type values.</li> <li>- CISC-RT-000395 - Added requirement to drop IPv6 packets containing a Destination Option header with invalid option type values.</li> <li>- CISC-RT-000396 - Added requirement to drop IPv6 packets containing an extension header with the Endpoint Identification option.</li> <li>- CISC-RT-000397 - Added requirement to drop IPv6 packets containing the NSAP address option within Destination Option header.</li> <li>- CISC-RT-000398 - Added requirement to drop IPv6 packets containing a Hop-by-Hop or Destination Option extension header with an undefined option type.</li> </ul>	
V1R4	- Cisco IOS Router STIG, V1R3	<b>Cisco IOS Router NDM STIG, V1R4:</b> <ul style="list-style-type: none"> <li>- V-96061 - Modified check content to enforce password policy.</li> <li>- V-96183 - Mapped to SRG-APP-000516-NDM-000350.</li> <li>- V-96187 - Mapped to SRG-APP-000516-NDM-000351.</li> <li>- V-96009, V-96011, V-96013, V-96029, V-96031, V-96033, V-96047, V-96053, V-96059, V-96063, V-96065, V-96069, V-96085, V-96087, V-96091, V-96093, V-96095, V-96097, V-96099, V-96105, V-96107, V-96111, V-96113, V-96117, V-96127, V-96129, V-96131, V-96133, V-96141, V-96143, V-96165, V-96167, V-96171, V-96173, V-96175, V-96179, V-96185, V-97105 - Removed requirements.</li> </ul>	24 July 2020

REVISION HISTORY			
Revision Number	Document Revised	Description of Change	Release Date
		<b>Cisco IOS Router RTR STIG, V1R4:</b> - V-96505 - Remapped to SRG-NET-000230-RTR-000001. - V-96507 - Remapped to SRG-NET-000230-RTR-000003. - V-96517 - Remapped to SRG-NET-000131-RTR-000083. - V-96559 - Remapped to SRG-NET-000205-RTR-000014. - V-96567 - Remapped to SRG-NET-000205-RTR-000015. - V-96591 - Remapped to SRG-NET-000362-RTR-000124. - V-96593 - Remapped to SRG-NET-000230-RTR-000002. - V-96637 - Remapped to SRG-NET-000205-RTR-000016. - V-96643 - Changed rule title to PE router.	
V1R3	- Cisco IOS Router STIG, V1R2	<b>Cisco IOS Router NDM STIG, V1R3:</b> - V-96183 - Changed to CAT 1.  <b>Cisco IOS Router RTR STIG, V1R3:</b> - V-96553 - Provided clarification in the check content. - V-96555 - Corrected typo in vulnerability discussion. - V-96623, V-96625, V-96665 - Corrected check content. - V-96639, V-96641 - Provided link to GTP QOS document in check and fix content. - V-96649 - Corrected fix content.	24 April 2020
V1R2	- Cisco IOS Router STIG, V1R1	<b>Cisco IOS Router NDM STIG, V1R2:</b> - V-96037 - Removed CISC-ND-000230. - V-96101 - Removed CISC-ND-000840. - V-96177 - Corrected rule title. - V-96181 - Extended fix content.  <b>Cisco IOS Router RTR STIG, V1R2:</b> - V-96505, V-96525, V-96595 - Corrected typo in check content.	24 January 2020

REVISION HISTORY			
Revision Number	Document Revised	Description of Change	Release Date
		- V-96547, V-96597, V-96611 - Corrected check and fix content. - V-96549 - Corrected fix content.	
V1R1	- NA	- Initial Release.	19 July 2019